



Webbing sling, light - Endless

TOOLIFT webbing sling made of 100% polyester, simplex type.

Acc. to standard specifications.

CE-marked.

TOOLIFT webbing sling for safe lifting - marked with TOOLIFT manufacturer ID.

L1 = effective length

Detailed information

Part no	Eff. length L1	Weight kgs
EL030072	2	0.195
EL030073	1	0.102
EL030077	1,5	0.15
EL030078	3	0.305
EL030079	4	0.402



Webbing sling - Endless

TOOLIFT flat webbing endless sling made of 100% high-tensile polyester, close-woven sealed material for high wear resistance.

CE-marked.

TOOLIFT webbing sling for safe lifting - marked with TOOLIFT manufacturer ID.

L1 = effective length

Other sizes can be produced upon request. Sizes 1-3 tonnes are packed in a plastic bag with manufacture certificate, bar code and user instruction.

Detailed information

Part no	Eff. length L1	Color	WLL t	Band width	Weight kgs
E30P102	1	Violet	1	30 mm	0.24
E30P103	1.5	Violet	1	30 mm	0.33
E30P104	2	Violet	1	30 mm	0.41
E30P105	2.5	Violet	1	30 mm	0.5
E30P106	3	Violet	1	30 mm	0.57
E30P108	4	Violet	1	30 mm	0.74
E030008	5	Violet	1	30 mm	0.9
E030009	6	Violet	1	30 mm	1.07
E30P202	1	Green	2	60 mm	0.43
E30P203	1.5	Green	2	60 mm	0.61
E30P204	2	Green	2	60 mm	0.8
E30P205	2.5	Green	2	60 mm	1
E30P206	3	Green	2	60 mm	1.16
E30P208	4	Green	2	60 mm	1.53
E30P210	5	Green	2	60 mm	1.9

E30P212	6	Green	2	60 mm	2.27
E030030	1	Yellow	3	90 mm	0.65
E30P303	1.5	Yellow	3	90 mm	0.92
E30P304	2	Yellow	3	90 mm	1.2
E30P305	2.5	Yellow	3	90 mm	1.5
E30P306	3	Yellow	3	90 mm	1.74
E30P308	4	Yellow	3	90 mm	2.28
E30P310	5	Yellow	3	90 mm	2.82
E30P312	6	Yellow	3	90 mm	3.37
E030040	1	Grey	4	120 mm	0.92
E030041	1.5	Grey	4	120 mm	1.28
E030042	2	Grey	4	120 mm	1.64
E030043	2.5	Grey	4	120 mm	2
E030044	3	Grey	4	120 mm	2.37
E030045	4	Grey	4	120 mm	3.09
E030046	5	Grey	4	120 mm	3.81
E030047	6	Grey	4	120 mm	4.54

