







The cargo plan is suited for using tilt trailers and some curtain siders where side boards are fitted.

Cargo plank clips easily to the vehicle side boards and offers quick and efficient cargo shoring where none previously was possible.

Art. No.	Working Length	Material	Damensions	Weight
CPK01	2400-2700 mm	Aluminum	125×30mm	9 kg
CPK02	Finish length made to measure	Aluminum	125×30mm	

CARGO BAR

An adjustable cargo bar assembly for securing cargo within a cargo hold.

The assembly includes a rigid beam having a rod inserted through the beam.

The rod is movably adjustable respective to the beam and is provided with a surface for contacting and securing the cargo.

The assembly also provides a stop to prevent the rod form moving once the furface is positioned against the cargo. Stops cargo shift in pickup trucks or sport utility vehicles, using the telescoping design, simply adjust the bar to fit your vehicle, then twist to tighten in place.

The cargo bar is an easy-to-use solution to hold your truck bed cargo in place.

TOOLIFT®	CA	RGO BAR	AND CARGO P	PLANK
STEEL T	UBE GALVANIZED 1.5" WITH RUBBER FOOT PADS 4"	X 4"		
		ITEM NO. CBS-101	SPECIFICATION 89" ~ 104"	WEIGHT 5.5kg
		CBS-102 CBS-103	92.5" ~ 107.5" 101" ~ 116"	5.65kg 5.9kg
STEEL TO	UBE GALVANIZED 1.5" WITH PLASTIC FOOT PADS 2"	X 4"		
		ITEM NO.	SPECIFICATION	WEIGHT
		CBS-201	46" ~ 61"	4.0kg
And		CBS-202	60" ~ 75"	4.4kg
		CBS-203	89" ~ 104"	5.4kg
		CBS-204	92" ~ 107"	5.55kg
		CBS-205	101" ~ 116"	5.8kg
2 PIECES STE	EEL TUBE GALVANIZED ϕ 38 with plastic foot pairs	DS 2" X 4"		
	(HASSISSING AND	ITEM NO.	SPECIFICATION	WEIGHT
		CBS-301	2100 ~ 2470	5.5kg
		CBS-302	2260 ~ 2630	5.7kg
A Contemp		CBS-302	2350 ~ 2720	5.85kg
10	All and a second s	CBS-303	2565 ~ 2935	6.1kg
2 PIECES STE	EEL TUBE GALVANIZED ϕ_{42} with plastic foot pairs	DS 2" X 4"		
	(Section of the sect			
	Complete States and a state of the states of	ITEM NO.	SPECIFICATION	WEIGHT
also also		CBS-401	2350 ~ 2720	6.2kg
		CBS-402	2565 ~ 2935	6.5kg
ALU	UMINUM TUBE Ψ 38 WITH PLASTIC FOOT PADS 2" X 4			
4	-	ITEM NO.	SPECIFICATION	WEIGHT
and the second s		CBA-501	2100 ~ 2470	4.1kg
		CBA-502	2260 ~ 2630	4.25kg
		CBA-503	2350 ~ 2720	4.4kg
		CBA-504	2565 ~ 2935	4.5kg
2 PIECES	S ALUMINUM TUBE ϕ 38 with plastic foot pads 2	" X 4"		
	IN SYSTEM DEPARTMENT	ITEM NO.	SPECIFICATION	WEIGHT
	Compare and a statement of the statement	CBA-601	2100 ~ 2470	4.4kg
4		CBA-602	2260 ~ 2630	4.55kg
2 C		CBA-603	2350 ~ 2720	4.65kg
		CBA-604	2565 ~ 2935	4.8kg
				1




ACB429B

2300-2960 mm

CARGO BAR AND CARGO PLANK



Aluminum Cargo bar, Muti-Step with Spring



Aluminum Cargo bar, Bolt-on-loops


42mm

2"x4" plastic

Aluminum

CARGO BAR AND CARGO PLANK





Art. No.	Size (in)	Material	Lengh (in)	Weight(kgs)
CBH002	1.5"	Aluminum	89"-104"	10.7

WARNING: cargo bars are not intended for use with cargo on wheels.

Over tension of ratchet may cause damage to trailer sidewalls.

NOTE: cargo bars do not have load ratings due to varying conditions of trailer sidewalls.



Parts List and Assembly Diagram



CARGO BAR AND CARGO PLANK

Part	Description
1	Foot Pad Screw
2	Foot Pad
3	Steel Plate
4	Inner & Outer Tube Cap
5	Foot Pads Nut
6	Foot Pads Rivet
7	Inner Tube

Part	Description
8	Tube Rack
9	Outer Tube
10	PVC Grip
11	Handle
12	Release lever Spring
13	Release lever
14	Gear set

Part	Description	
15	Pawl 1	
16	Pawl Spring	
17	Pawl 2	
18	Housing Rivet	
19	Housing	
20	Housing Nut	
21	Housing Screw	

